

Honeywell D1 GPS Time Control Module

TCM

The time control module is connected directly to the Honeywell D1 Voice Alarm system and ensures time synchronisation via GPS signal.

Time Control Module GPS

The Time Control Module facilitates the exact timing of automated announcements (e.g. school bells), timed volume adjustments (e.g. reduction of volume level at night for train stations) or simply the exact documentation of announcements or system events.

The module is connected either via the TWI bus of the DOM via a standard CAT5 cable (max. 10 m) or directly to the DOM using the included adapter cable. Both failure of the module as well as loss of satellite transmission are signalled.

The GPS signal is transmitted to the receiver via antenna and coaxial cable. The antenna should be sited in line of sight to open sky in order to receive signals from several satellites.

The most suitable options for positioning the antenna are thus close to a window or even on top of a roof.



FEATURES

- Module for time synchronisation of all voice alarm systems
- Can be connected to any DOM in the system
- Time synchronization via GPS signal
- BS EN 54-16 approved

GPS Time Control Module Technical Specifications

DIMENSIONS	VALUES
Width	115 mm
Height	55 mm
Depth	25 mm
Antenna Cable Length	max. 33 m (type RG174) max. 66 m (type RG58)

ORDERING INFORMATION

DESCRIPTION	ORDER CODES
Gps Time Control Module	583337.21

For more information

www.honeywellvoicealarm.com

Honeywell

140 Waterside Road
Hamilton Industrial Park
Leicester
LE5 1TN, UK
Tel: +44 (0)203 409 1779
hlsuksalesupport@honeywell.com

Honeywell reserves the right, without notification, to make changes in product design or specifications.

HSF-TimeControlGPS-01-UK(0519)DS-E
May 2019
© 2019 Honeywell International Inc.

Honeywell